



Republic of the Philippines
Department of Education
REGIONAL OFFICE IX- ZAMBOANGA PENINSULA

INVITATION FOR
NEGOTIATED PROCUREMENT UNDER TWO FAILED BIDDINGS

**SUPPLY AND DOOR-TO-DOOR DELIVERY OF MANIPULATIVE
MATERIALS FOR LEARNERS WITH DISABILITY TO THE RECIPIENT
SCHOOLS IN REGION IX**

1. The Department of Education Region IX intends to apply the sum of Five Million Four Hundred Five Thousand Four Hundred Five Pesos (Php 5,405,405.00) being the ABC to payments under the contract for the Supply and Door-to-Door Delivery of Manipulative Materials for Learners with Disability to the Recipient Schools in Region IX.
2. The Department of Education Region IX, through the Bids and Awards Committee (BAC) now invites technically, legally, and financially capable suppliers for the said project.
3. The Procurement procedure for this requirement is Negotiated Procurement under Two-Failed Bidding pursuant to Section 53.1 of 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The selection of the successful offer shall be based on the best and final offer that will be submitted on the set deadline by the BAC and which would meet the minimum technical specifications required.

4. The interested bidders may obtain further information from the BAC Secretariat at the address given below from **October 7, 2025 to October 21, 2025**, Monday to Friday, at 8:00AM to 5:00PM.
5. A complete set of Bidding Documents may be acquired by interested Bidders on October 7, 2025 from the given address and website(s) below upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Ten Thousand (Php 10,000.00).
6. Hereunder stated is the schedule of bidding activities:

Activities	Schedule	Venue
1. Negotiation Meeting	October 16, 2025 at 2:00 pm	RBAC Office, DepEd RO IX, Balintawak, Pagadian City
2. Deadline for the Submission of Negotiation Documents (Proposal)	October 21, 2025 at 1:30 pm	
3. Opening of Negotiation Documents (Proposal)	October 21, 2025 at 2:00 pm	

7. Two (2) copies of the proposals (one original and one copy) must be submitted to the BAC which must be duly received by the BAC Secretariat through manual submission at the office

address indicated above on or before **1:30 pm of October 21, 2025**. Late submission shall not be accepted.

8. Interested bidders shall submit the following documents in sealed envelopes, labeled as “Negotiated Procurement for Two-Failed Biddings”, with the title of the procurement project, name of the bidder, address, the contact details of the bidder, addressed to the BAC.

A. Eligibility and Technical Documents

- a. Valid PhilGEPS Registration Certificate (Platinum Membership), including the Annex/es;
- b. Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;
- c. Statement of Bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid. For this purpose, the definition of similar contracts shall refer to **Supply and Door-to-Door Delivery of Manipulative Materials for Learners with Disability to the Recipient Schools in Region IX** which shall be completed within the last 5 years prior to the date of submission of the best and final offer.
- d. Bid Security in any of the following form as prescribed under the 2016 revised IRR of RA 9184:
 - i. The amount of not less than 2% of ABC, if bid security is in cash, cashier’s/manager’s check, bank draft/guarantee or irrevocable letter of credit; or
 - ii. The amount of not less than 5% of ABC if bid security is in Surety Bond.
 - iii. Bid Securing Declaration.
- e. Conformity with the Technical Specifications (Annex “A”);
- f. Conformity with the Schedule of Requirements (Annex “B”);
- g. Notarized Omnibus Sworn Statement (OSS) supported with Notarized Secretary’s Certificate in case of a corporation or cooperative; in case of partnership or single proprietorship, the bidder shall submit Special Power of Attorney executed by the partners or single proprietorship; whichever is applicable.

In case of Joint Venture, Special Power of Attorney shall be submitted by all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
- h. If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence or duly notarized statement from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

B. Financial Documents

- i. Bid Form
- j. Price Schedule

9. Special Conditions of the Contract (Annex “C”) shall form part of the contract. Other conditions of the contract shall be governed by the implementation of the rules and regulations of RA 9184 and other related and applicable laws.
10. The Department of Education Region IX reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

JERRY M. IJIRANI

BAC Secretariat

DepEd RO-9, President Corazon C. Aquino Regional Government Center

Balintawak, Pagadian City

Email: (region9.bac@deped.gov.ph)

Website: www.depedro9.info; www.ro9-deped.com

Issued this 7th day of October 2025.

DR. GREGORIO CYRUS R. ELEJORDE, CESO V

Assistant Regional Director

Chairperson, Bids and Awards Committee

Technical Specifications

INSTRUCTIONS: Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.

No.	Unit/ Description	Specifications	Quantity	COMPLY? (YES/NO)
1	100 Peg Board	Material of Board:Hardwood Dimension of board:at least 30 by 30cm by 1cm thick With 100 different colored peg Consist of 10 pegs in one color	24	
2	Algebra Tiles	Material: Hard plastic Colorful tiles Weight: 4.165 lbs Dimensions:15.9 × 12.6 × 2.5 in	24	
3	Alphabet and Number Blocks	Material : Hardwood Blocks dimension : 29 to 32 mm With alphabets, numbers & images inscribe or embossed on each opposite sides Comes with wooden box for storage A multicolor blocks	24	
4	Alphabet Puzzle	Upper Case Material of the letters: Plastic, non toxic Color of each letters: AEIO-red, BGLQTVY-yellow, CFKNPS - green, DJMWZ - blue, HUX - white Tray dimension: Length: at least 40 cm Width: at least 30 cm Thickness:0.50 to 0.80cm and Lower Case Material of the letters: Plastic, non toxic Color of each letters: aeio-red, bglqtv-y-yellow, cfknps - green, djmwz - blue, hux - white Tray dimension: Length: 28 to 30 cm Width :25 to 26 cm Thickness:0.50 to 0.80cm	24	
5	Articulation Picture Cards	Material: Cardboard at least 5 inches length size With colored borders With black and white images At least 20 cards per blending words with box Composed with initial, medial, and final blending words	24	
6	Base Ten Blocks for Math	Made of non toxic hard plastic and generally come in four sizes, each representing a power of ten used as a place in the decimal system: units (ones place), longs (tens place), flats (plate) (hundreds place) and blocks (thousands place). Material : Hard plastic Grid block at least 10cm by 10 cm Grid plate at least 1 cm thick by 10 square centimeters Rod size at least 1cm by 10 cm length Cube size : 1 to 2 cm Set contains of the following: 1000 grid block = 1 pc. 100 grid plate = 10 pcs. 10 cm rods = 10 pcs. 1 cm cubes=100 pcs. Each type of block design with different color (yellow, green, blue &red) Comes with hard plastic container	24	
7	Beads and Barrel	Material: Plastic, non toxic Bead and barrel radius: 6 mm (minimum) Barrel height: 12 - 20 mm With holes for interconnection At least with six (6) different colors With colored lace at least 50 cm long Number of Beads and Barrel: at least 60 pieces/set Number of colored lace: at least 2 length/set Design: Wide opening for easy bead insertion and removal Color: Bright, contrasting colors for visual stimulation Texture: Smooth or lightly textured beads for tactile feedback Safety: Smooth edges for safety	24	
8	Bolts and Nuts building Blocks	(Twist & Match Blocks)- Large plastic bolts and nuts (~2-3 inches), various shapes. Material: Plastic, non- toxic Contents: 150 pcs (minimum) Comes with constructive playthings and picture guide on assemble Comes with plastic tools (ratchet, flat screw driver & wrench) With multicolor bolts and nuts building block Comes with plastic storage box	24	

9	Buckle Pillow Toy	Pillow material: Cotton / soft fabric Minimum pillow size: 18 cm X 18 cm Number of different types of latches buckle spectrum and with six(6) colors (green, blue, red, orange, yellow & light blue) Comes with button, shoe lace tying, threading, clasps, lacing, & buckles (Fastening Practice Pillow) – Fabric pillow (~8-12 inches) with various buckles and fasteners.	24	
10	Building Blocks	Material: Plastic, non toxic; square and rectangular bricks ranging from large to small (3.8 cm height and width, 2 cm height and width, 1 cm height and width, 0.8 cm height and width)	24	
11	Carpentry, Garden, Transportation Puzzle Series	Carpentry Puzzle Series Board material: Hardwood Length: 24 to 30 cm Width: 20 to 30 cm Thickness: 3 mm (minimum) Comes with 12 puzzles with different puzzle picture (such as handsaw, tape measure, hammer etc.) A multicolor puzzle board Transportation Puzzle Series Board material: Hardwood Length: 24 to 30 cm Width: 20 to 30 cm Thickness: 3 mm (minimum) Comes with 8 - 12 puzzles with different puzzle picture (such as bus, airplane, motorcycle etc...) A multicolor puzzle board Garden Puzzle Series Board material: Hardwood Length: 24 to 30 cm Width: 20 to 30 cm Thickness: 3 mm (minimum) Comes with 12 puzzles with different puzzle picture (such as wheel barrow, shovel, sprinkler etc...)	24	
12	Community Helpers Puzzle Series	Community Helpers Puzzle Series Board material: Hardwood Length: 24 to 30 cm Width: 20 to 30 cm Thickness: 3 mm (minimum) Comes with 8 - 12 puzzles with different puzzle picture (such as teacher, policeman, fireman, doctor, engineer, etc.) A multicolor puzzle board	24	
13	Counter Shape Block Base	Material: Non-toxic plastic or wood Base Size: Approximately 25 cm x 20 cm x 2 cm Shapes: Various shapes (circle, square, triangle) included for counting and sorting Shape Quantity: At least 10 shapes in different colors Design: Black base with slots for placing the shapes Color: Bright colored shapes for visual stimulation	24	
14	Counting Bowl with Tongs	Main material : Rubber, non toxic Measurement: 13cm diameter and 4cm depth with 6 colors Tweezers are 12cm long with 6 colors	24	
15	Cuisenaire rods	Material : Hard plastic With ten(10) color coded Set contains with a minimum required sizes and respective color White=1cm Red=2 cm Green=3cm Purple=4cm Yellow=5cm Dark Green=6cm Black=7cm Brown=8cm Blue=9cm Orange=10cm Minimum quantity per set:100 pieces	24	
16	Decimal Box	The item shall have the following specifications. Main material : Hard plastic, non toxic 9 color decimal manipulatives tiles represent 9 value of decimal Value should represent of thousandths, hundredths, tenths, and ones At least 1 inch height	24	
17	Educational Wooden Clock with Movable Hands	Material: Hardwood Clock diameter: at least 8 inches Analog display type Colorful movable minute, second and hour hands Includes from 1 to 12 colorful hour numbers	24	

18	Emotion Puzzle Board	Emotion Puzzle Series Board material: Hardwood Length: 24 to 30 cm Width: 20 to 30 cm Thickness: 3 mm (minimum) Emotion: Angry, happy, proud, sad, scared, shy, silly, crying, & surprised Comes with 9 - 12 puzzles with different puzzle picture A multicolor puzzle board	24	
19	Forms Set	Item Weight: 0.01 Pounds Item Dimensions: 6.06 x 9.49 x 6.25 inches	24	
20	Fraction Circles	Geometrical board material: Hardwood Dimension: 7 to 10 square inch Thick: 3/4 to 1 1/8 inch At least 3mm thick At least 64 pcs. of nails half driven in. Includes geometric cards and multicolored latex bands for pattern purposes	24	
21	Fraction Tiles & Fraction Circles	The approximate measurements: □ Package dimension: 22-30cm (width); 35-35cm (length); 1.5-3cm (height) Note: All size measurements are with - 5% tolerance Specifications: □ Fraction blocks should be manufactured from durable and high quality wood material: kiln-dried Gmelina wood, Pine wood, Bass wood, and Juniper wood; □ Consist of 39-51 brightly colored wooden pieces and 1 wood tray with text and braille □ The surface finish shall be unpatterned smooth with sufficient varnish / paint coating and the wood texture will not be visible after paint application; □ Blocks shall be manufactured with suitable straightness and/or edges must be smooth finished; □ Fraction block must be painted with non-toxic, lead free and water based paint and color consistency shall be uniform in all fraction blocks; □ Blocks come in various colors □ Each set of the Fraction blocks should come in a box with BLR branding sticker; Packing: □ Fraction blocks must be packed in appropriate boxes suitable for the weight and volume of the puzzle. □ The supplier's must specify the type of box/container that will be used to pack the fraction blocks sets; at a minimum, the box/container must protect the fraction blocks from rain, moisture, dust, dirt, or other elements. Product Certification and Standards: □ All products must be able to pass the Philippine quality standard under the Material : Hard plastic Fraction circle diameter: 4 to 6 inches Largest tiles/strips measure at least 1 inches by 8 inches Thickness excluding magnet: 1/16 inch (minimum) Complete set including 12 circles & 12 bars (with Math symbol 1, 1/2, 1/3, 1/4, 1/5, 1/6, 1/7, 1/8, 1/9, 1/10, 1/11 and 1/12) With strong magnets Non peel demonstration size pieces 12 colors represent 12 values of fractions Color coded fraction circle diameter Includes plastic storage case	24	
22	Fruits and Vegetable Puzzle Board	Fruits Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Fruits name: Apple, avocado, banana, lemonade, mango, melon, orange, papaya, pineapple, grapes & strawberry A multicolor puzzle board Vegetable Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Vegetable name: Binjal, cabbage, carrot, cauliflower, capsicum, ladyfinger, pea, onion, potato & tomato A multicolor puzzle board	24	
23	Geo Board	Geometrical board material: Hardwood Dimension: 7 to 10 square inch Thick: 3/4 to 1 1/8 inch At least 3mm thick At least 64 pcs. of nails half driven in Includes geometric cards and multicolored latex bands for pattern purposes	24	
24	Human body anatomy model	55cm Human Anatomy Model Unisex Torso Assembly detachable Visceral Anatomical Model 19 Parts. It features the brain, skull, heart, rib cage, lungs, liver, stomach, pancreas, kidneys, intestines, and spine.	24	

25	Knobbles Cylinders	Material : Hardwood Cylinder diameters varies in height and diameter in each set Box color painted the same color as the cylinders: red, green, yellow, and blue For red cylinder; each cylinder decreases in diameter, height stays constant For yellow cylinders, each cylinder decreases in both diameter and height For green cylinder; each cylinder decreases in diameter and increases in height For blue Cylinders – each cylinder decreases in height, diameter stays constant 20 pieces colored cylinders Four sets of knobbed cylinders Dimension knobbed cylinder: at least 15cm length X 4cm width X 3.5 height	24	
26	Life Cycle Puzzle Board (Bird, Butterfly, Mosquito, Chicken, Frog, Fly)	Material: Hardwood Length: 29 to 31cm Width: 19 to 21cm Thickness: 3 mm (minimum) The life cycle of Mosquito which shows at least 4 stages from egg stage until it metamorphosed into a beautiful mosquito With relief or embossed arrow direction from egg until to adult stage Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired Life Cycle of a Mosquito Life Cycle of a Fly Material illustrates the life cycle: Hardwood Length: 29 to 31 cm Width: 19 to 21 cm Thickness: 3 mm (minimum) The life cycle of Fly which shows 4 stages from egg stage to adult fly With relief or embossed arrow direction from egg until to adult stage Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired A multicolor puzzle board Life Cycle of a Frog Material illustrates the life cycle: Hardwood Length: 29 to 31 cm Width: 19 to 21 cm Thickness: 3 mm (minimum) The life cycle of frog which shows at least 5 stages from egg stage to adult frog With relief or embossed arrow direction from egg until to adult stage Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired A multicolor puzzle board Life Cycle of the Chicken Material illustrates the life cycle: Hardwood Length: 29 to 31 cm Width: 19 to 21 cm Thickness: 3 mm (minimum) The life cycle of chicken which shows at least 4 stages from egg stage until it metamorphosed into a beautiful chicken With relief or embossed arrow direction from egg until to adult stage Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired A multicolor puzzle board Life cycle of Bird Material illustrates the life cycle: Hardwood Length: 29 to 31 cm Width: 19 to 21 cm Thickness: 3 mm (minimum) The life cycle of bird which shows at least 4 stages from egg stage to adult bird With relief or embossed arrow direction from egg until to adult stage Stages of the life cycle should be presented in a raised-relief or shaded three dimensionally or tactile graphics version for easy identification for learners who are visually impaired	24	
27	Linking Cubes Card	Main material : Hard plastic, non toxic Cubes size: 2cm minimum Cube quantity: 100 pieces with 10 color (red, orange, yellow, green, blue, pink, white, purple, light green and black). Includes 11 pieces of two-sided activity cards With one marker for activity use With storage box A multicolor linking cubes	24	
28	Magnetic Alphabet	Material: Plastic, non toxic With Alphabet letters from A to Z Design with Upper and lower case letters With magnetic board at least 22cm by 28cm A multicolor alphabets	24	
29	Magnetic dry erase boards	8x12 vertically writing surface. White board pen (assorted color) must be quick to dry and easily erasable. White board eraser must be in rectangular shape. The fabric layers maybe treated with cleaning and anti-static compound	24	
30	Multiplication Board Set	Materials: Wooden board with the numerals 1-10 printed across the top, printed cards 1-10, and a box with red beads and red discs. Dimensions: 395 X 475 X 19mm	24	
31	Number and Counters	Materials: Rubber (Numbers), 5x7 inches	24	
32	Number Blocks	Material : Hardwood, non toxic Blocks dimension: 36 to 50mm With numbers inscribe or embossed on all sides A multicolor blocks	24	

33	Number Braille Blocks	Material: Wood Contains 16 Braille Blocks Each block displays a number in both print and braille as well as sign language	24	
34	Odyssey Loop	Materials: Non-toxic plastic, smooth-edged wood (Bead Maze) – Metal wire maze with sliding wooden/plastic beads. Dimension: 5 x 1 x 8 inches Features: 5 wire mazes, 47 colorful beads. Child-safe design with no sharp edges, BPA-free, lead-free 3-5 colored spiral loop wire Set of beads per loop: 6 pcs (minimum)	24	
35	Parts of a Tree, Leaf, Flower Puzzle Board	Part of a Leaf Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Blade, margin, midrib, petiole, stipules, stem, tip & veins A multicolor puzzle board Part of a Flower Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Anther, filament, ovary, ovule, pollen tube, receptacle, sepal, stem, stigma & style A multicolor puzzle board Part of a Tree Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Branches, bark, fruit, leaves, roots, twig & trunk A multicolor puzzle board	24	
36	Parts of Different Animal Puzzle Board (Fish, Turtle, Bird, Frog, Horse)	- Horse Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Head, nose, ears, eye, mouth, nostril, neck, mane, chest, shoulder, withers, back, hindquarter, tail, hock, hoof, & knee. A multicolor puzzle board - Frog Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Body, crest, eye, head, hind legs, mid dorsal line, mouth, neck, nostril, fore legs, snout, trunk, tympanum, unwebbed feet, vocal sac & webbed feet, A multicolor puzzle board - Birds Board material: Hard wood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Back, belly, breast, claws, chin, crown, eye, forehead, leg, lower beak, upper beak, rump, outertail feather, uppertail coverts, throat and wings A multicolor puzzle board - Turtle Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Head, eye, nostril, mouth, neck, tail, vertebral shell, costal shell, forelimb, hind limb, claw, marginal plates & external ear opening A multicolor puzzle board Fish Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Head, eye, opercle, vent, caudal peduncle, soft dorsal fin, body, scales, nostril, mouth, pelvic fin, anal fin, tail, spinal dorsal fin, pectoral fin & lateral	24	

37	Parts of the Face and Body Puzzle Board	Part of the Face Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: beard, chin, cheek ear, eyebrow, eyelash, eyelid, iris, hair, head, lip, jaw, forehead, mole, mouth, moustache, neck, nose, nostril & temple A multicolor puzzle board Part of the Body Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Parts name: Ankle, chest, elbow, feet, finger, hand, heel, knee, legs, shoulder, stomach, thumb, toe, and wrist A multicolor puzzle board	24	
38	Plastic clock	Material: Plastic, non toxic; 220-240mm; easy-to-see numerals, large and small hands	24	
39	Puzzle Boards World Map 7	World Map: 7 Continents, Materials: non-toxic, illustration board; Length: 35.5 cm; Width: 25.4 cm	24	
40	Sand Paper Letters and Numbers	(upper and lower case) Material :Hardwood Tablet size at least 100mm by 140 mm Numbers Multicolored Uppercase Sandpaper letters from A to Z Multicolored lowercase Sandpaper letters from a to z Color coded color pink for vowels and blue boards for consonant . With wooden box	24	
41	Sensory Mats	(Textured Play Mats) – 10 different Textured rubber/silicone mats (~12x12 inches)	24	
42	Shape Sorter	Materials: Wooden toy with 12 brightly colored, easy-to-grip shapes Each shape fits through a hole of the same shape on the wooden cube. Assembled Product Dimensions (L x W x H) 6.30 x 6.30 x 6.30 inches	24	
43	Sorting Balls in Cups	Material: Hardwood, non-toxic Minimum Bowl size: 12 cm dia. X 5 height. cm Ball diameter: 3.0 cm (minimum) Cup dimension: at least 5.00 cm height Spoon dimension: 15.0 X 6.0 cm (minimum) Set contents: 1 pc Bowl; 12 pcs Ball; 12 pcs Cup; 1 pc Spoon Balls & Cups Color: 11 colors (neon green, yellow, blue, orange, black, white, red, pink, brown, violet, & light blue) Comes with storage box	24	
44	Threading Shape	Each set includes 120 wood string beads, approximately one inch in diameter, with a 3/8 inch lacing hole.-6 bright colors and 5 shapes: spheres, cubes, cylinders, triangular prisms, and hexagonal prisms.	24	

45	Tower of Hanoi or Geometric Stacker	Measurements: The approximate measurements of shapes in inches: □ Package dimension: 8-28cm (width); 17-30cm (length); 5-8cm (height); Note: All size measurements are with - 5% tolerance Specifications: □ Geometric shapes should be manufactured from durable and high quality wood material and durable: kiln-dried Gmelina wood, Pine wood, Bass wood, and Juniper wood; □ Set includes of 100 pcs. wooden blocks in 9 different shapes □ The surface finish shall be unpatterned smooth with sufficient varnish / paint coating and the wood texture will not be visible after paint application; □ Shapes shall be manufactured with suitable straightness and/or edges must be smooth finished; □ Geometric shape must be painted with non-toxic and lead free paint and color consistency shall be uniform in all geometric shapes; □ Shapes come in bright and different colors □ Each set of the geometric shapes should come in a box with BLR branding sticker; Packing: □ Geometric shapes must be packed in appropriate boxes suitable for the weight and volume of the material. □ The supplier's must specify the type of box/container that will be used to pack the geometric shapes; at a minimum, the box/container must protect geometric shapes from rain, moisture, dust, dirt, or other elements. Product Certification and Standards: All products must be able to pass the Philippine quality standard under the Bureau of Hazardous Devices and Toys, Department of Health (BHDT-DOH); □ Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCHQ, ASQ, DQO, EOQC, IQA, EC, and EN71. □ Paint, lacquer, varnish and plastic materials used must be certified non-toxic by agency or institute locally or internationally recognized. □ Instructional manual/Teacher's Guide and maintenance tips in English must be included. □ Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor. □ Bidders shall provide documentary evidence of conformity of the goods with the technical specifications including drawings and submission of a complete set of sample	24	
46	Traffic cones	(set of 5 cones) Material: Plastic or Rubber; 50 cm Safety Square Cone Barrel Ice Cream Cone Pile	24	
47	Transfer Activity Set	Material: Hard plastic, non toxic Set of bowl: 4 pcs (minimum), brim diameter: 4 to 5 inches Set of cup: 2 pcs (minimum) Objects used for scooping and spooning are peas and beans-1 pack each Other set composed of the ff: Pitchers, spoons, tongs, tweezers, chop sticks, sponges, basters and droppers . At least two activities can be performed by multicolored transfer activity set Comes with wooden tray Comes with storage box	24	
48	Unit Division Board	Material: Wood Consists of a unit division working board, a box containing 9 green unit skittles, and 81 wooden green beads. Color yellow Product Dimensions: 24 x 24 x 6 cm; 300 g	24	
49	Weather Puzzle Series	Weather Puzzle Series Board material: Hardwood Length: 24 to 30 cm Width: 24 to 30 cm Thickness: 3 mm (minimum) Comes with different puzzle picture (such as sunny, rainy, cloudy, etc.) Comes with wooden stands A multicolor puzzle board	24	
50	Wooden Abacus	Material: made of solid wood Dimensions: 20 x 6 x 28 cm Weight: 0 , 5 kg	24	
51	Wooden Clock	Material: Hardwood Clock diameter: at least 8 inches Analog display type Colorful movable minute, second, and hour hands Includes from 1 to 12 colorful hour numbers	24	
52	Wooden Phonetic Reading Blocks	Material : Wood Wooden block size: at least 1 inch square. With rotatable letters With color coded vowels and consonants Designed with handle	24	

53	Wooden Shape Sorting Cubes	Sorting cube material : Plastic, non toxic At least twelve (12) different shape of sorting cube Box material: Hardwood Dimension of box: 14 to 18cm The wooden box designed correspond to twelve different shape of sorting cube.	24	
54	Wooden Toys Counting Math	Material : Hardwood 40 wood ring blocks in 4 colors 35 pieces wooden number tiles (3 pieces per digital number from 0 (zero) to 9 (nine)) mathematical symbols +, -, /, x, = holder with 5 pillars Tiles size: at least 1 inch by 1/8 inch thick	24	
55	Aprons and disposable Nitrile gloves	Nitrile rubber Average thickness 14 to 16 mils Green or Yellow color Individually pack Reusable and chemical resistant Brand name permanently marked on the item	8	
56	Brushes	Nylon bristles Light weight and works well with a hair dryer. Perfectly vented to make styling and blow drying quick. It is easy to use and clean. They'll also have different bristle types, including synthetic, boar, or mixed. Vented Hair Brush Size: 8.15 x 2.44 x 1.30in Quiff Roller Brush Size: 8.62 x 1.57 x 1.42in Set of brushes to include: • vent brushes • nylon bristle brushes • styling brushes and • thermal brushes that vary in diameter.	16	
57	Combs	Material - Carbon fiber, it is not easily broken, lightweight and durable, high toughness and heat-resistant Set of combs that include: All-purpose comb • Barber comb • Wide-tooth comb • Fine-tooth comb • Pick comb • Pin tail comb • Rat tail comb • Teasing comb	8	
58	Duster Brush	Material: Synthetic bristles, non-toxic plastic handle Handle Length: 25 cm to 40 Bristle Length: 3 cm to 5 cm	8	
59	Salon Electric Appliances	Including • professional blow dryer • curling irons that vary in barrel width • straightening/flat irons • and/or a diffuser • electric razor with various guard attachments to shape up necklines and facial hair and execute several cuts.	8	
60	Electric Clipper	Material: Synthetic bristles, non-toxic plastic handle Handle Length: 25 cm to 40 cm Bristle Length: 3 cm to 5 cm	8	
61	Hair Dryer	Material: Non-toxic plastic, ceramic, or ionic components Power: 1200-1800 watts for safe and efficient drying Design: soft-grip surface, easy-to-use buttons (on/off, heat control, speed control) Cord Length: At least 2 meters for ease of use Safety Features: Automatic overheat protection, lightweight and easy to handle	16	
62	Makeup Tools	This bag should include essentials like: • Hypoallergenic makeup brushes • Spoolie, cotton pads, and Q-tips • Makeup sponges • Blush, eyeshadow, contour, highlight, and lipstick palettes that range from neutral to vibrant. • A range of foundation and powders • It is essential to have different applicators, shades, and types of makeup (i.e., liquid and powder) for diverse skin tones and skin types	16	
63	Mannequin Heads	Material: Lightweight, durable plastic non-toxin Size: Standard size (approximately 20 cm to 30 cm in diameter)	8	
64	Mirror- Acrylic (for wall mounting)	Material: Shatterproof acrylic Mounting Hardware included Mirror Thickness: 1/8" Size: 4 ft x4 ft Sides safety Design: Lightweight, impact-resistant, with smooth edges for safety	8	
65	Personal Hygiene Kits	Material: Non-toxic plastic, fabric, or stainless steel components Contents: Toothbrush, toothpaste, soap, shampoo, conditioner, deodorant, comb/brush, washcloth, and towel Storage: Compact, portable bag with individual compartments for organizing items	24	

66	Set of Professional Shears	Material: Stainless steel blades with ergonomic plastic or rubber handles Blade Length: Typically 5 to 8 inches for precision cutting Handle Design: Comfort grip, non-slip, oversized handles for ease of use Use: Specifically designed for professionals or learners requiring precision in cutting tasks Safety: Rounded tips and smooth, sharp blades for precise, clean cuts	8	
67	Set of razors, razor blades, and a protective case	Material: Stainless steel blades with rubberized or ergonomic plastic handles Razor Size: Standard razor size (5-7 cm in length) Blades: Disposable blades with safe, secure fittings Protective Case: Hard plastic or silicone case with locking mechanism to prevent accidental cuts	8	
68	Spray Bottle and Clips	Spray Bottle: Material: Non-toxic Plastic Material must not corrode when chemical used in the salon Bottle holds 32 oz Transparent Sprayers: 28 mm/400 Clips: 4.3", Non-slip, No trace duck billed hair clip,	16	
69	Straight-Bladed Scissors	Material: Stainless steel blades, ergonomic plastic or rubber handles Blade Length: Approximately 7-8 cm Handle Design: Oversized, cushioned, or molded handles for users with limited dexterity Safety: Rounded tips or blunt blades for safe cutting, especially for learners with motor impairments Weight: Lightweight to reduce hand strain	8	
70	Anti-Static Duster	Material: Microfiber or synthetic fibers, non-toxic plastic handle Handle Length: 25 cm to 40 cm Design: Ergonomic, non-slip handle with extendable reach for cleaning	16	
71	Broom and dustpan	Dust pan material : Hard plastic, 1mm thick Width : 26 to 30cm Minimum height of the dust pan including the non detachable handle is 1 meter Broom material: Nylon bristles Broom with at least 19mm diameter with long handle With provision for hanging or storage purposes	16	
72	Bucket	Material : High density polyethylene Capacity : 16 liters (minimum) Comes with metal handle Color: Red, Yellow, Green, or Blue	16	
73	Microfiber cleaning cloths	Material: Microfiber Size: 12 square inch (minimum) Highly water absorbent, soft, and washable cloth Color: Yellow or Green pieces per pack	12	8
74	Mop	Mophead Material : Micro fiber/yarn cloth Mophead Color : White Material of the handle: Plated Steel Tube Handle designed can be twisted and adjusted Includes spinner and bucket made of hard plastic Equipped with hanging hole for storage purpose Includes spare mophead	16	
75	Multi-purpose duster	Material: Micro fiber duster Duster length: 39cm minimum Stainless steel extension pole: 76cm minimum Anti static With provision for hanging or storage purposes Any color	16	
76	Scrub brushes	Material: Plastic Minimum size: 2 inches width & 6 inches length Hard plastic bristles with height at least 1 inch Color: Green, blue, green, or Yellow With handle	16	
77	Sponges	Material: Foam Size: at least 3 inches x 3 inches x 1 inch With scouring pad one side and absorbent sponge on the other side. Any color pieces/back	3	8

78	Spray bottle	Trigger type Sprayer Material: Transparent plastic Capacity: 300 - 500 ml. Comes with rotating nozzle to adjust spray pattern	16	
79	Toilet brush	Material: Plastic Type: plastic round toilet brush with holder Length of the handle : 30cm (minimum) Brush size at least 10cm With plastic storage or bowl Any color	16	
80	Trash Can	Material: Non-toxic plastic Size: Small to medium size (e.g., 30L to 50L capacity) Design: Lightweight with a secure lid, foot pedal for hands-free operation	16	
81	Vacuum	Capacity:3 liters dust container(minimum) Suction power range from 300W to 650W Voltage frequency:220-240V,50/60Hz. Cord length:1 to 1.5meter With filtration system With adjustable suction power With complete accessories such as nozzles, brush, washable filters, mounting ring and crevice tool Designed with 2 to 3 wheels . Green, Yellow, or Blue color Brand name permanently marked on the item	8	
82	Chisels & Screwdrivers	Chisel Blade material: Hardened tempered chrome steel Blade size:Length 5 to 6 inches by Width 1/2 to 1 inches Ergonomically designed, bi-material handle Precision Milled Bevelled Edges Screwdriver Loop wire are made of insulated steel wire with a minimum of 3mm diameter Length dimension: 23 to 25 cm Width dimension: 22 to 24 cm Height dimension: 21 to 23 cm With at least two colored spiral loop wire and beads A multicolored educational toy	8	
83	Clamps	Material: Heavy-duty plastic or metal Jaw Width: 50 mm to 150 mm Length: 150 mm to 200 mm	8	
84	Compass (Roto Tape Compass)	Item Weight0.06 Kilograms Blade Length78.74 inches Lock TypePin Blade MaterialHigh Carbon Steel	8	
85	Files	Material: Steel or durable metal with a non-slip plastic handle Size: 120 mm to 200 mm	8	
86	Hammer	Type: Claw Head material: Drop forged carbon steel Handle material: Fiberglass Head size: 8oz Handle size: 12 inches long (minimum)	8	
87	Hand drills	Cordless type hand drill Chuck capacity, min./max.: 1.5 / 13mm Battery voltage: 18V RPM up to 1800 Designed with low and high speed gear Battery type: Lithium-ion 18V 2Ah With battery charger With plastic storage case	8	
88	Hand Saw	Blade material:High speed steel Length of the blade at least 16 inches TPI: 8 to 9 teeth Ergonomical design handle with combination of plastic and rubberized material With sheath	12	
89	L Squares	Blade: Stainless steel 0.8mm to 1.2mm Thick Cast Aluminum handle Blade Length: 12 inch(minimum) Dual scale - Metric on one side (graduation 1.0mm) and English on the other (graduation is 1/16 inch) Smooth surface, no sharp edges Shall have Manufacturer's/Trademark/Brand name permanently marked on the item	20	

90	Nail Puller	Material: Carbon steel Total length: 7 inches (minimum) With soft plastic coated handle	16	
91	Nail Set	Type: Nail set 3 pcs. Material: Hardened precision-milled steel Sizes: 1/32inch, 2/32inch, 3/32inch dia. x 5 inches long Comes with grip in slip-resistant	16	
92	Planes	Material: Steel blade with wooden or plastic body Length: 150 mm to 250 mm Width: 50 mm to 75 mm	8	
93	Rasps	Material: Steel teeth Length: 150 mm to 250 mm Width: 20 mm to 30 mm	8	
94	Sand paper	Material: Black carbon silicon abrasive Minimum size: 9 inches by 11 inches Granularity: 1 pc-# 60, 1pc- #120, 1pc-#600 Waterproof sheets each of 3 sandpaper gauges or 6 sheets	2 24	
95	Scriber	Material: Metal tip with plastic or rubber handle Length: 150 mm to 200 mm Design: Non-slip handle	8	
96	Steel Measuring Tape	Capacity: 5 meters Case material: Hard plastic Tape material: Steel Design: Pocket type Scale: Metric (smallest graduation is 1 mm) English (smallest graduation is 1/16 inch) Comes with locking mechanism, easy to work thumb push button and self-retracting Application for associating quantity and symbol	16	
97	Garden Gloves	Type : Latex coated glove Palm width : 9 to 10 cm Glove length: 24 cm minimum Any color	8	
98	Garden hand trowel-shovel	Material: Carbon Steel Thickness: 1mm(minimum) Blade width: 8 cm (minimum) Blade length: 13 cm (minimum) Length including the handle: 25 to 30 cm With plastic coated steel handle for comfortable grip	8	
99	Garden Hoe	Hoe Material: Carbon Steel, 1/32 to 1/16 inch Hoe Capacity: at least 1.75 lbs Head width at least 3 inches Length including the handle at least 2 feet For general cultivating purpose	8	
100	Hori Hori (Japanese garden knife)	Blade: Stainless steel; 0.8 mm to 1.2mm Thick Blade length: 7 inches minimum With embossed marking in inches and millimeter as depth gauge measurement With both serrated and straight edge blades Any color wooden handle With sheath Brand name permanently marked on the item	8	
101	Picking Knife	Material: stainless steel with exceptional corrosion resistance and oxidation resistance Crafted from the premium 3Cr13Mov German steel; HRC: 52±2. High-Carbon stainless steel Ultra-Sharp blade Ergonomic colored wood handle, anti-slip, and labor saving Impeccable full tang design, safe and durable Luxurious wood knife block, elegant and space efficient. High Hardness & Ultra-sharpedge expert heat treatment; One-year replacement	8	
102	Pruning Shears / Hand pruners/ Secateurs	Material: High speed steel Blade length: 8 inches minimum Total length: at least 20 inches With nut/knob for adjusting blade tension Encapsulated with rubberized hand	8	
103	Rake	Tine material: Forged Carbon steel Tine number: 10 to 12 tines Handle length: 3.5 to 4.5ft Tine height: 2 3/4 inches (minimum) Comes with hard wood handle Design with welded blade socket	8	

104	Shovels and Spades	Type: Round Nose Shovel Material: High Carbon Steel Handle Material: Hardwood Blade Thickness: 1.0 to 2 mm Handle Type: D Ring Shovel head width at least 9 1/4 inch Handle Length: 29 inches (minimum)	8	
105	Sprinklers	Material: Plastic or metal Coverage: 3 to 20 meters Height: 6 to 12 inches Weight: 300 to 1,500 grams Design: Adjustable spray pattern, with a stabilizing base or rotating mechanism	16	
106	Step Ladder	Material: Aluminum; 3x4 ft -steps foldable ladder	8	
107	Watering Can	Capacity: 2 gallon Material: Plastic Equipped with long spout and sprinkler head With handle Any color	16	
108	Watering Hose	Hose material: Vinyl tubing Hose size: 1/2 to 5/8 inch Length at least 15 meters With hard plastic reel set With complete accessories such as connector, plastic nut, faucet connection and sprayer gun	8	
109	Chef's Knife	Type: Chef's Knife Material: High grade stainless steel, 1mm thick Total length: 8 inches minimum At least handle 4 1/2 inch length minimum With sheath Brand name permanently marked on the item. 8 Inch Chef's Knife - A high quality chef's knife has good weight balance, a blade that keeps its edge, and of course, feels good in your hand. The most common size and shape for home cooks is 8 inches with a blade that gently slopes upwards at the tip (this "Western" style is ideal for creating a rocking motion with the knife—great for chopping veggies). Features an 8" long blade, 5" long handle and weighs 8.5 oz. Full Bolster and Finger Guard, German Made Cook's Knife. Ergonomic handle design made from a long-lasting synthetic material to resist fading and discoloration. - 8-Inch	8	
110	8-Quart Large, Heavy Pot	Material: Stainless steel Capacity: 12 quart (minimum) Diameter: 9 to 11 inches Minimum depth: 9 inches With Stainless steel lid and handle Retains heat temperature up to 500° F. Graduation permanently mark in liters and quart	8	

111	Baking Pans	Baking Pans - 1. 9x9-inch size square pan, Material:Steel, reinforced non-stick coating. Food grade, rust resistant Thickness: 0.5 to 1mm Length & Width=21 to 23cm, Height=4 to 6cm Square pan Heat Resistant up to 230C Smooth curved rim design for durability and prevent from sharp edges 2. eight-inch round pan (Round Springform Pan for cakes and cheesecakes,) Material : Carbon steel , non stick Height : 1 inch (minimum) Set consist of 3 different diameter size: Small= 7.9 inch (minimum) Medium=10.9 inch (minimum) Large= 11.75 inch (minimum) Round shape baking pan Designed with fluted edges 3. 9x13-INCH BAKING PAN, 4. 12- holes muffin pan (Cup Top Diameter: 70mm, Cup Bottom Diameter: 55mm, Cup Depth: 35mm), Material:Steel, reinforced non-stick coating. Thickness: 0.5 to 1mm 12 cavities muffin pan For cup cake use Cavity minimum size: 55 mm diameter by 35mm depth Brand name permanently marked on the item. 5. deep-dish nine-inch pie pan, Material:Aluminum Food grade, rust resistant Thickness: 0.4 to 1.0mm Minimum size of diameter: 9 inches Heat Resistant up to 230 degrees Centigrade Smooth curved rim design for durability and prevent from sharp edges 6. Flat Baking Tray for cookies, Material:Aluminum Food grade, rust resistant Thickness: 0.5 to 1.2mm Minimum size: Length=15inches; Width= 13 inches Heat Resistant up to 230 degrees Centigrade Smooth curved rim design or rolled edge for durability and prevent from sharp edges 7. 9x5-INCH LOAF PAN Material:Steel, reinforced non-stick coating. Thickness: 0.5 to 1mm Minimum size: Length=9inches by Width=5inches by Height=2inches Rectangular pan Brand name permanently marked on the item	8	
112	Blender	Power – 450-watt motor Speed – 8-speed settings Function – Continuous blending (buttons 1-3 or 5-7) or controlled/pulse blending (4/8 buttons) Durability – Exclusive All-Metal Drive™ system Blade – High performance ice-crushing stainless steel blade Capacity – 5-cup (1.25L) heat-resistant glass jar Warranty – 1 Year Warranty Dimensions – 25.5 x 18.5 x 32 cm	8	
113	Boning knife	Material: High-carbon stainless steel, 1.5mm thick Total Length: 6-7 inches Handle Length: Minimum 4 inches With Sheath: Yes, protective sheath included Brand Name: Permanently etched or stamped on the blade	16	
114	Bread Toaster	9-liter capacity 30-minute timer with bell ring Full silver body 2 pcs. quartz heating elements 1 knob timer Accessories: baking tray, wire rack 364x232x195mm Could accommodate 2-slice breads	8	
115	Brush	Material: Silicone, natural bristles, or nylon bristles (for even and non-shedding application) Total Length: 7 to 10 inches (18-25 cm) Handle Length: 4 to 6 inches (10-15 cm) Handle Material: Wood, plastic, or stainless steel Bristle Length: 1.5 to 2 inches (4-5 cm) for optimal coverage Weight: 50 to 100 grams (lightweight for easy handling) Heat Resistance: Up to 500°F (260°C) for silicone brushes	8	

116	Cake decorating set	1. Rotating Cake Stand with Board - Non-Slip 11 inch Cake Turntable with 360° clockwise and counterclockwise rotation 2. Offset Spatulas 3. Parchment Paper 4. Silicone Piping Bags 5. Basic Piping Tips : round tips 2A, 3, 5 and star tips 1M, 16, 21; Stainless Steel 6. 3 types of Icing Scrapers Food grade plastics 7. Adjustable 2-wire dual-layer cake cutter 13.2 cm height ; 32 cm width; Stainless steel	16	
117	Can opener	Material: Stainless steel Total Length: 7 to 9 inches (18 to 23 cm) Handle Length: 4 to 6 inches (10 to 15 cm) Blade Material: High-carbon stainless steel or alloy Weight: 150 to 250 grams	16	
118	Carving fork	Material: High-carbon stainless steel Handle Material: Stainless steel Length: 10 to 12 inches (25 to 30 cm) Handle Length: 4 to 5 inches (10 to 12.5 cm) Fork Length: 6 to 8 inches (15 to 20 cm) with two tines Weight: 150 to 300 grams	16	
119	Cheese Cloth	Material: Cotton or Muslin Dimensions: Typically 36 to 45 inches (91 to 114 cm) in length, 18 to 24 inches (46 to 61 cm) in width Weight: 150 to 250 grams (depending on fabric thickness) Mesh Size: Fine to medium weave, usually around 40 to 60 threads per inch Design: Reusable, lightweight, breathable fabric with a loose weave for straining liquids while allowing air circulation	16	
120	Cleaver knife	Material: stainless steel with exceptional corrosion resistance and oxidation resistance. Crafted from the premium 3Cr13Mov German steel; HRC: 52±2. High-Carbon stainless steel Ultra-Sharp blade. Ergonomic colored wood handle, anti-slip and labor saving. Impeccable full tang design, safe and durable. Luxurious wood knife block, elegant and space efficient. High Hardness & Ultra-sharpedge expert heat treatment; One-year replacement Crafted from the premium 3Cr13Mov German steel; HRC: 52±2. High-Carbon stainless steel Ultra-Sharp blade Ergonomic colored wood handle, anti-slip and labor saving.	8	
121	Coffee Mugs	10 3/8 oz. , Fully tempered glass guarantees full safe fragmentation in case of breakage.	48	
122	Colander, medium	Type: Kitchen Strainer/Colander Material: Stainless steel Total Diameter: 8 to 10 inches (20 to 25 cm) Height: 3 to 5 inches (7.5 to 12.5 cm) Handle Material: Stainless steel Handle Length: 4 to 5 inches (10 to 12.5 cm) Design: Round or oval shape with perforated holes for draining liquids With Base: Some models include a non-slip base for stability during use Hole Size: Medium-sized holes suitable for draining pasta, vegetables, or fruits	16	
123	Cookie press	Material: Stainless steel Capacity: Typically holds 0.5 to 1 cup (120 to 240 mL) of dough Design: Handheld press with interchangeable discs for various shapes Length: 7 to 10 inches (17.5 to 25 cm) Diameter of barrel: 2 to 3 inches (5 to 7.5 cm) Handle Material: Stainless steel for durability and grip Weight: 200 to 500 grams (depending on material) Operation: Manual press, operated by squeezing a handle to extrude dough through the chosen shape disc	8	
124	Cooling Racks	Main material: Stainless Steel rod diameter 3 to 4mm Minimum dimension: Length=15 1/2 inch; Width=14 inches; Height=7inches Designed with 3 tier baking rack Cooling Racks - made out of food-safe material, stainless steel or aluminum and are heat resistant and safe to use in hot ovens -grid and not just wires that run in one direction -thicker frame around the edges of the rack makes for a stable rack - wire rack fits snugly in a half-sheet pan - oven-safe that is uncoated wire racks to withstand higher oven-safe temperature - Dimension: fits with the 1 " depth half-sheet pan in the oven	8	
125	Core seed remover	Material: Stainless steel Total Length: 6 to 8 inches (15 to 20 cm) Handle Length: 3 to 4 inches (7.5 to 10 cm) Blade Length: 2 to 3 inches (5 to 7.5 cm) Weight: 50 to 150 grams Design: Hollow tube to remove seeds or cores from fruits like apples, pears, or melons	8	

126	Coupler	Material: Stainless steel Dimension: 4.5cm L x 3.4cm W (Coupler) x 2.4cm W (Nozzle) Design: Dual-ring design for securing piping tips to decorating bags, Food Grade Material, Non-Stick Finish, Strong and durable, Easy to use. Weight: 30 to 60 grams	8	
127	Offset Angular Palette knife	Material: Stainless steel Thickness: 1 mm (minimum) Blade length: 6 inches (minimum) Width: 2 inches (minimum) Length of the handle: 5 inches (minimum)	8	
128	Cutting Board	Material: Hard plastic, Minimum dimension: L=12 inches by W=10inches by Thickness=1/4inch With hole or a minimum 1/2 inch slot to hold the board in place while chopping. Foodgrade	8	
129	Cutting board	Material: wood or plastic; rectangular 12 inches by 18 inches	8	
130	Digital Weight Scale	Digital Weight Scale - Accurate measurements: consistently accurate within 1 gram to 10 kilogram They should also be easy to read, even under wide mixing bowls or pans; an elevated weighing platform or pull-out display makes that easier Capacity: 10kg. Division: d=1g Material: ABS plastic Flat Touch keys, Unit : g, lb,oz Display: 45*21mm 4bit LCD Power : 2pcs 1.5 V AAA or AA battery (included) Product dimension: 24*16.8*3cm Product weight: 375g 4 highly precise strain gauge sensors system Overload and low battery indicator Automatic zero tracking and Automatic power offs	8	
131	Dish towels	Material: cotton; 20" x 30" (50 x 75 cm)	8	
132	Double Boiler, medium	Material: Food-grade Silicone or Plastic Set contains: 1 lower pot, 1 upper pot Capacity: 2 to 3 cups (smaller size for sensory play) Height: 6 to 8 inches (adjusted for play size) Features: Non-slip base, textured surfaces for sensory exploration, easy-to-hold handles, soft-touch for safety	8	
133	Dough Cutter	Material: High-carbon stainless steel or flexible stainless steel Blade Length: 5 to 6 inches (12.5-15 cm) Total Length: 7 to 8 inches (17.5-20 cm) Handle Length: Minimum 3.5 inches (9 cm) Handle Material: Wood, plastic, or rubber-coated for a secure grip Blade Thickness: 1.5mm to 2mm (providing strength for cutting through dense dough) Weight: 150 to 250 grams (medium weight for controlled cutting)	16	
134	Dry and Liquid Measuring Cups	Material: Plastic, Food grade Set contains: 1/4 cup, 1/3 cup, 1/2 cup, 3/4cup & 1 cup Total length: 110mm(minimum) Measuring capacity engraved on each measuring cup Designed with nest and ring to keep cups together	16	
135	Electric Hand beater/ mixer	Electric Hand beater/mixer - with 5-speed settings, with turbo function, stainless steel beater and dough hook, and ABC Plastic Power: 300 watts; Operating voltage: 220-240 volts Two pairs of strip beaters, plus dough hooks, cord length: 1.2 m 5 speeds plus turbo for a variety of recipes 1.2m cord for longer reach Includes: hand mixer, stainless steel dough hooks and stainless steel strip beaters Power: 300 watts Includes: Includes: hand mixer, stainless steel dough hooks and stainless steel strip beaters Power rating: 150W (minimum) Voltage: 220V/60Hz. Minimum of 5-speed control With double attachment for stainless steel beaters and dough hooks With a minimum of one(1)meter power cord and type A plug Equipped with overload protector Comes with user guide in English Brand name permanently marked on the item	8	
136	Filling Funnel	Material: Soft Plastic, Non-toxic, BPA-Free Set contains: 1 funnel Total height: 4 to 6 inches Funnel diameter: 3 to 5 inches (wide enough for sensory play) Features: Smooth edges for safety, non-slip base, brightly colored for visual stimulation, lightweight design for easy handling	16	

137	Fish poacher	Material: Stainless steel Height: 19 cm Width: 12.5 cm Weight: 2.5 kg	16	
138	Funnels	Material: Plastic or silicone made of food grade high-quality plastic, BPA free, non-toxic, odorless Total Diameter: 3 to 5 inches (7.5 to 12.5 cm) Height: 4 to 8 inches (10-20 cm) Neck Diameter: 0.5 to 2 inches (1.25 to 5 cm)	16	
139	Gas Tank	11kgs cylinder LPG tank with ancillary product (1.5m rubber hose, Auto-shut off valve (de salpak), and regular) with Product Standard or ICC markings	4	
140	Glass rack	Material: plastic; rectangular crate; Capacity: 24 glass slot	8	
141	Glasses	10 3/8 oz, Fully tempered glass guarantees full safe fragmentation in case of breakage.	48	
142	Graters	Type: Box Grater or Handheld Grater Material: Stainless steel Total Length: 8 to 12 inches (20 to 30 cm) for box graters; 6 to 8 inches (15 to 20 cm) for handheld Grating Surface: Multiple sides, with different grating options (fine, coarse, slicer) Handle Length (for handheld): 4 to 6 inches (10 to 15 cm) Weight: 200 to 400 grams (for box grater); 100 to 200 grams (for handheld)	16	
143	Half Sheet Pan	Material: Steel (reinforced non-stick coating). Food grade, rust resistant Thickness: 0.5 to 1mm Minimum size: Length=13 inches; Width= 9 inches ;Height=1 inch Comes with tapered sides on this pan Heat Resistant up to 230 degrees Centigrade Smooth curved rim design or rolled edge for durability and prevent from sharp edges Half Sheet Pan - A rimmed sheet pan is great for roasting vegetables, making one-pan dinners, and baking. It is also referred to as baking tray, baking sheet, or baking pan, is a flat, rectangular metal pan placed in an oven. The most common size of sheet pan is actually known as a half sheet—full sheet pans in standard depths of 20, 40, 65, 100, 150 and 200 mm. - Stainless steel baking sheets - with a wire enclosed in the rim (wire reinforced sheet pans) increase their durability and keep the pan from warping and add extra strength - fall within the 10- to 18-gauge range, 10-gauge pans (about 0.102 inch) as the thickest options you should reach for, and 18-gauge (about 0.0403 inch thick) as the thinnest - Color: Silver , Shape: Rectangle, Material: Stainless Steel, Package Included: 1* Baking Pan Size: 22.8x14.8x1.2 CM / 26.5x15.5x1.2 CM / 33x17x1.5 CM / 34.5x21.5x1.5 CM / 35x25x1.5 CM Quantity: 1Pc Features: 1. Food grade stainless steel, no rust, no chemicals, very suitable for oven use. 2. Easy to clean: The baking sheet pans is smooth around the edges, have no rough spots, superior mirror-finished surface, easy to clean, and is also very safe for dishwashers. 3. Fast and uniform heating and cooling, Perfect for baking and cooling bacon, vegetables, chicken wings, ribs, biscuits, etc. 4. Available in various sizes, perfect for all your baking needs.	16	
144	Icecream scoop	Material : Stainless steel Scoop width: 2 inches (minimum) Total length: 7 1/2 inch minimum Depth: 2 1/8" and 2 5/8" (medium- and large-size) With trigger spring handle and scoop scraper mechanism	16	
145	Kitchen utensils and cutlery	Material: Stainless steel Design: Adaptive, ergonomic handles with extra grip, molded or oversized handles for easier use Contents: At least 5 essential items (knife, fork, spoon, soup spoon, and a cutting knife)	16	
146	Measuring um	Measuring Spoons Material: Plastic, Food grade Set contains: 1/4 tsp., 1/2 tsp., 1 tsp, 1/2tbsp & 1 tbsp Total length: 110mm (minimum) Any color Measuring capacity engraved on each measuring spoon. Designed with spoons nest and ring to keep cups together.	8	

147	Electric Meat Slicer	Specification: Voltage: 220V and 120V Power: 150W Blade Diameter: 19cm Product specification: 35.5 x 25 x 27.5cm Blade material: Food grade stainless steel Slice thickness: 1-15mm adjustable Blade Material: Stainless Steel	4	
148	Mixing Bowls 3-sizes	Mixing Bowls - set of Stainless Steel Bowl Set (use to keep in the heat or the cold) and Heat-proof Glass Mixing Bowls (use to melt ingredient in the microwave or when doing a 'Bain-Marie'). 7.5-inches diameter; fully tempered glass guarantees full safe fragmentation in case of breakage.) There's a whole world of mixing bowl options out there, but the crucial thing when choosing a set is picking one that contains multiple sizes. Material matters, so you'll want to determine how you plan on using them. Want to serve dinner from your bowls? Consider a set with a pretty aesthetic. Plan on using hand mixers? Go for a set with a non-slip bottom. For stainless steel mixing bowl capacities: 5-, 3-, and 1.5-quarts it should be sturdy, well-made, and the best option of all our picks if you use a hand mixer. That's because they're deep set and effectively keep splashes in the bowl (not all over your counters), brushed stainless exteriors and rolled-edge lips provided ample traction and grip to hold and maneuver the bowls with one hand. 18/10 stainless steel (18% chromium, 10% nickel) and Large bowl: Outside diameter = 10 1/8 in, Inside diameter = 9 1/2 in, Outside height = 5 3/8 in, Inside depth = 5 1/4 in Medium bowl: Outside diameter = 8 5/8 in, Inside diameter = 7 7/8 in, Outside height = 4 5/8 in, Inside depth = 4 1/2 in Small bowl: Outside diameter = 7 in, Inside diameter = 6 1/4 in, Outside height = 3 5/8 in, Inside depth = 3 1/2 in. For glass mixing bowl - capacities: 1/2 quart (5.5" x 2.25") & 1- 1/2 quart (8" D 3-1/4" H.) IMPACT & CHIP RESISTANT, EXTREMELY DURABLE tempered glass is 2.5 times stronger than ordinary glass SHOCK RESISTANT 2-1/2 times more resistant to breakage and chipping than normal glass, withstand sudden thermal shock: from withstand sudden temperature extremes from -4°F to 266°F and is suitable for hot or cold liquids FREEZER, MICROWAVE & DISHWASHER SAFE; Adaptable modern glassware can go directly from the freezer to the microwave STACKABLE; are stackable for convenient and space saving storage; HYGIENIC Nonporous glass does not absorb liquid TOP QUALITY Constant quality control guarantees excellence and built in durability insures that products will maintain their look for many years Material: Stainless steel and Thickness: 0.4mm to 0.6mm Type: Mixing Bowl (6 pcs per Set) Set includes sizes 1 3/4, 2, 3 1/2, 5, 6 & 8 and	16	
149	Multi-purpose Kitchen Scissors/Shears	Blade material: Stainless steel Blade thickness: 2mm minimum Total length: 7 to 9 inches Comes with fine serrations Designed with large handle for added strength and durability. With protective sheath Brand name permanently marked on the item	16	
150	Cupcake baking tray	Material: Stainless steel Overall pan size: 11.44" x 7.12" x 1.25" (cavity top dia. 2.75", bottom dia. 2"). Each pan has 6 standard cups	16	
151	Oven thermometer	Oven thermometer- A utensil used to check the temperature of the oven so the reading can be compared to the temperature set on the oven dial. With the use of an oven thermometer, temperatures can be checked to insure it remains consistent throughout the baking or roasting time. Necessary for food safety: Thermometer displays true oven temperature instantly to ensure safe food preparation Extreme temperature range: Thermometer reads between 50° and 580° degrees Fahrenheit - 20° and 300° degrees Celsius Perfect for any kitchen: Designed for professional kitchens with the highest quality in mind; Works perfectly in any home or commercial space Many uses: This product is perfect for traditional ovens, toaster ovens, grills, smokers, or any heat based food appliance Durable material: Stainless steel construction and shatter proof lens makes this thermometer highly dependable Battery free design: Mechanical thermometer reads instantly and without the need for battery power. Can be installed hanging or standing National Sanitation Foundation Certified: This NSF certified product has been cleared for safe use with food and in kitchen environments The item shall have the following specifications. Material: Stainless steel Base dimension: 1 inch by 2 inches (minimum) With hook that could be adjustable to the top oven rack. Measures oven temperature from 100 to 600°F/ 50 to 300°C	4	

152	Oysters knife	Material: High-carbon stainless steel, 1.5mm thick Blade Length: 2.5 to 3.5 inches (6-9 cm) Total Length: 6-8 inches (15-20 cm) Handle Length: Minimum 4 inches (10 cm) Handle Material: wood, plastic, or rubberized grip for non-slip use Blade Shape: Curved or straight, with pointed tip for precision shucking Blade Thickness: 1.5mm to 2mm Weight: 100 to 150 grams	8	
153	Pailera	Material: Soft Silicone or BPA-Free Plastic Set contains: 1 pan Pan diameter: 8 to 12 inches Features: Two easy-grip handles, lightweight design for easy lifting, textured surface for sensory feedback, safe for use with play food Weight: Lightweight for easy handling	16	
154	Parchment Paper/ Baking Paper -	Unbleached parchment 12 to 15 inches width Minimum of 45 meters length per roll Non stick Heat resistant quality	16	
155	Paring Knife	Type: Straight /non serrated cutting edge Material : Stainless steel Blade length: 2 to 4 1/2 inch With plastic handle Brand name permanently marked on the item	8	
156	Parisienne scoop	Material: Soft Silicone, Food-grade, Non-toxic Set contains: 1 scoop Scoop diameter: 2 to 3 inches Features: Soft-touch grip, rounded edges for safety, large easy-to-hold handle, lightweight for little hands Weight: Lightweight for easy handling	8	
157	Pastry Blender	Material: Stainless Steel Shape: 5-blades thines Dimensions: Width: 5" Depth: 5.25"	8	
158	Pastry Brush	Material: silicone bristles, wood or plastic handle; soft bristle 0.35mm; hard bristle 0.60mm	8	
159	Pastry Mat	Material: Silicone; rectangular 400x600mm or 600x800 mm	16	
160	Pastry tubes	Material: stainless steel; 6s per pack with various tubes	24	
161	Peeler	Stainless steel blade Width: 65 to 75mm Length including the handle: 120mm (minimum) Designed with swiveling twin blades Stain and rust resistant With Y shape and non slip handle	16	
162	Pepper and salt grinder	Type: Manual Grinder Material: Stainless steel grinding mechanism; Glass body Manual Grinding bottle Adjustable Grind Spice Dimensions: 2.5"W x 7.5"L Easy to Refill - 200 ml Capacity	16	
163	Pie Cutter	Material: Stainless steel Size measurement: 19cm * 6.5cm Color: Silver With hanging hook at the tip of the handle for hanging storage	16	
164	Piping bag	Material: Plastic or polyethylene; 21" or 24"	8	
165	Plate rack	Material: stainless steel or plastic; rectangular 42cm x 30cm x 12cm	8	
166	Plates	9.25-inches diameter; Fully tempered glass guarantees full safe fragmentation in case of breakage.	48	
167	Potato masher	Type: Manual Potato Masher Material: Stainless steel Total Length: 10 to 12 inches (25 to 30 cm) Handle Length: 5 to 6 inches (12.5 to 15 cm) Masher Head: Square or oval design with flat or ricer-style perforations Weight: 150 to 250 grams Handle Material: Wood, plastic, or stainless steel	16	
168	Rotary egg beater	Stainless steel Rotary egg beater Push action rotation whisk Dishwasher safe Size 12x33x8cm Weight 0.5kg	16	

169	Saucepan	Material: Stainless Steel Capacity: 2 quarts minimum Non stick coating Length including the handle: 14 inches minimum Handle material: Hard plastic with black color Cover equipped with heat resistant glass lid, steam vent. And plastic knob With provision for hanging storage	16	
170	Saucers	7.5-inches diameter; Fully tempered glass guarantees full safe fragmentation in case of breakage.	48	
171	Scraper	Material: stainless steel; 15L x 11.4W centimetres	16	
172	Serrated Knife	Type: Serrated cutting edge Material : Stainless steel Blade length: 2 to 4 1/2 inch With plastic handle	16	
173	Serving spoon	Material: Stainless steel; 21.0cm / 8.3"	48	
174	Serving Tray	Material: Rubber; rectangular 18"L x 26"W; non skid and with handle	24	
175	Fine Mesh Stainless Steel Strainers	Material: Stainless steel Diameter: 6 inches minimum 30 to 35 mesh per square inch Comes with ear hanging design and stainless steel handle Set of 3 (5"- 7"- 8") Material : Stainless steel Minimum diameters required: 5 inches, 7 inches & 8 inches Mesh size ranges from 1 to 2 mm 3 to 5 cups capacity With stainless steel extended handle and a bowl hook design on other side It can be hung on the kitchen wall.	8	
176	Set of Large and Small Balloon Whisk/Wire Whisk	Type: Wire Whisk ,balloon type Material - Stainless steel Length including the handle - 29 cm (minimum) Set of Large and Small Balloon Whisk/Wire Whisk - Whisk that is not too big or too small but can easily move around in any sized bowl. The large one for any cake batter or other preparation, while the small one is great to use when making curds in a small pot or beating eggs. Sturdy that does not bend or break when used frequently with silicone wrapped around	8	
177	Silicone/ Rubber One Piece Design Spatula	Silicone/ Rubber One Piece Design Spatula - Solid or no open joints between the head and handle, heat resistant non-stick, and flexible Dimension: Head - 1.7" Length: 8.4" and Head - 1.96" Length: 10.6" HEAT RESISTANT: 100% food grade silicone material, BPA-free. Heat resistant up to 480°F. No melt. Will not discolor, warp, melt or chip. ERGONOMICAL DESIGN: Great angles for scraping, flexible silicone head, metal core for extra strength, ergonomic handle, hole for easy hanging storage. EASY TO CLEAN AND STORE: Hole for easy hanging storage. Stain and odor resistant.	8	
178	Stainless Steel 10" Skillet (frying pan)	Capacity: 2 liters minimum 10 inches minimum diameter Designed with flat base and gently curved sides Can hold up to 500 degrees Fahrenheit Handle material: Hard plastic with black color Cover equipped with heat resistant glass lid, steam vent. and plastic knob With provision for hanging storage	12	
179	Utility Kitchen Shears	Material: Stainless Steel body with polypropylene handle; 8.3"L x 4"W	12	

180	Table Top Oven	55-liter capacity 60 min. timer with bell ring Thermostat control 100 to 250°C Stainless steel heating elements Stainless steel housing Convection function Rotisserie function Inner light Indicator lamp 5 stages of heating & function selector Heating selector switch Tempered glass door Accessories: bake tray, baking rack, tray/rack handle, rotisserie stick, and rotisserie fork Inner dimension 420x340x290mm (should accommodate 12-holes muffin pan) 575x440x372mm - and consider the power usage. Rated Voltage: 230V~ Rated Frequency: 60Hz Power Wattage: 1800 W Cord length: 2m	4	
181	Tenderizer (Mallet Tenderizer)	Type: Meat Mallet Tenderizer Material: Stainless steel Total Length: 10 to 12 inches (25 to 30 cm) Head Length: 3 to 4 inches (7.5 to 10 cm) Weight: 300 to 500 grams (providing sufficient heft for tenderizing) Handle Material: Wood, rubberized or plastic grip Design: One side flat for tenderizing, the other side textured for tougher cuts of meat	16	
182	Timer	Material: Hard- food grade- and non-toxic plastic; 6.7cm x 7.2cm; with Large Number Display; with minute, second, and start/stop tactile buttons, with hanging hook, retractable stand, and magnet stand; with clear, loud, and audible alarm, and battery operated	8	
183	Tongs	Clip/Head material: Silicone food grade Material of the arm : Stainless steel Total length: 12 inches(minimum) With spring mechanism to keep the tongs open until you squeeze. With sliding lock mechanism holds the tongs shut for storage (one 6-inches and one 12 inches-long)	16	
184	Utility tray	Material: stainless steel; rectangular; 9" length x 6.75" width x 1" height	24	
185	Wok, medium	Type: Traditional Stir-Fry Wok Material: Carbon steel Total Diameter: 10 to 12 inches (25 to 30 cm) Height (Depth): 3 to 5 inches (7.5 to 12.5 cm) Handle Material: Wood or heat-resistant plastic Weight: 500 to 900 grams (medium weight for balance in cooking) Base Type: Flat or round bottom With Lid: Optional, some models may come with a lid for steaming	16	
186	Wok, small	Material: Carbon steel Total Diameter: 8 to 10 inches (20 to 25 cm) Height (Depth): 3 to 4 inches (7.5 to 10 cm) Handle Material: Wood or heat-resistant plastic Weight: 400 to 700 grams (lightweight for easy handling) Weight Capacity: Can hold 1 to 2 servings of food Base Type: Flat or round bottom With Lid: Optional, some models may come with a lid for steaming	16	
187	Zester	Material: Stainless steel blade and handle Total Length: 7 to 8 inches (17.5 to 20 cm) Handle Length: 3 to 4 inches (7.5 to 10 cm) Blade Length: 4 to 6 inches (10 to 15 cm) Weight: 50 to 150 grams Blade Design: Small, sharp holes for extracting zest from citrus fruits (lemons, limes) or zesting small amounts of other ingredients (cheese, almond)	16	
188	cone markers	Materials: Plastic; 9", orange cone	24	
189	Bocce Ball Set	BOCCIE BALL - Carrying Case Dimensions: (L)7" x (W)7" x (D)7"; Set includes 4 green and 4 red balls with two different scoring patterns of 3.5" diameter, and 1 pallino ball, 1.5" diameter	8	

190	Braille Chess Set	Color: White and Black. Durable plastic playing board with 32 pieces. Each white playing piece has a tactile dot on top. Playing pieces are shaped differently to aid in tactile identification. A peg on the bottom of each piece fits snugly into the board, so they can be felt during game-play. White squares on the board are raised to help track diagonals. Braille grid coordinates along bottom and left, for both players. Measures about 8-1/2 in by 8-1/2 in by 1 in. Package Weight: about 7 ounces. Chess Board Chess set with raised and lowered squares in chess playing surface and pieces designed to differentiate the opposing sides easily. Each piece has a peg design that inserts into the board square allowing for tactile use of the entire board while considering a chess move. Also, the top of each dark piece has a peg to differentiate. Measurements: The approximate measurements: •Wooden board: 30-35cm x 30-35cm; •Wooden box with lid: 23-29cm (length) X 13-18cm (width) X 4-8cm (height). Note: All size measurements are with - 5% tolerance Specifications: •One set of wooden pieces (32 pieces) •Darker pieces are slightly raised above to easily identified from the opponent •Should be manufactured from kiln-dried Gmelina wood, Pinewood, Basswood, and Juniper wood; •The surface finish shall be unpatterned smooth with sufficient varnish/paint coating, and the wood texture will not be visible after paint application; •The set shall be manufactured with suitable straightness, and edges must be smoothly finished; •Chess Board must be painted with non-toxic paint, and color consistency shall be uniform in all Chess Board; •Color may vary Packing: •Chess boards must be packed in appropriate boxes suitable for the weight and volume of the puzzle. •The suppliers must specify the type of box/container used to pack the Chess Board sets; at a minimum, the box/container must protect the Chess Board from rain, moisture, dust, dirt, or other elements. Product Certification and Standards: •All products must be able to pass the Philippine quality standard under the Bureau of Hazardous Devices and Toys, Department of Health (BHDT-DOH); •Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCEQ, ASQ, DQG, EOQC, IQA, EC, and EN71. •Paint, lacquer, varnish, and plastic materials must be certified non-toxic by agency or institute locally or internationally recognized. •Instructional manual/Teacher's Guide and maintenance tips in English must be included. •Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor. •Bidders shall provide documentary evidence of conformity of the goods with the technical specifications, including drawings and submission of a complete set of sample items.	8	
191	Braille Scrabble	Material: Plastic tiles, durable board Set contains: 1 game board, 100 Braille-engraved letter tiles includes 4 letter racks, a thick score pad, and printed rules. Features: Braille on each tile for visually impaired users, adjustable tile racks Measurements: The approximate measurements: •Board: 34-35cm x 37-38cm Note: All size measurements are with - 5% tolerance Specifications: •Letter tiles have both braille and raised tactile letters for playing by touch for the blind and visually impaired •Includes 100 letter tiles, four wooden tile racks, and a rotating game board •Printed instructions •Each piece of the Braille scrabble should come in a box with a BLR branding sticker; Packing: •Braille scrabble must be packed in appropriate boxes suitable for the weight and volume of the puzzle. •The suppliers must specify the type of box/container used to pack the Braille scrabble sets; at a minimum, the box/container must protect the Braille scrabble from rain, moisture, dust, dirt, or other elements. Product Certification and Standards: •All products must be able to pass the Philippine quality standard under the Bureau of Hazardous Devices and Toys, Department of Health (BHDT-DOH); •Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCEQ, ASQ, DQG, EOQC, IQA, EC, and EN71. •Paint, lacquer, varnish, and plastic materials must be certified non-toxic by agency or institute locally or internationally recognized. •Instructional manual/Teacher's Guide and maintenance tips in English must be included. •Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor. •Bidders shall provide documentary evidence of conformity of the goods with the technical specifications, including drawings and submission of a complete set of	8	
192	Chess clock	Material: Durable plastic or lightweight metal casing Display: Tactile or large, high-contrast digital display with Braille markings	8	

193	Flippers	Material: Soft Rubber; 9.45"L x 4.53"W; Pull on type; unisex	24	
194	Goal Ball Set	Goal Ball with bell - Description: A blue, 25cm (approx. 10") diameter goalball ball, manufactured from heavyweight rubber and weighing 1250g (44oz). The match ball has three metal bells inside which can be heard through eight holes in the rubber - 22-26 cm diameter 1250 grams - Goal ball goal (net) 700-900cm x 130cm - Aluminum Tube Frame 40 mm, diameter 9 mm Goal Ball Set The goalball set consist of the following items: -One goalball with bell -Two goalball goal -Two heavy-duty carry bag -Side frame and intermediaries -Crossbar and back bar -Blackout eyeshades -Tri-clip net fixing Measurements: The approximate measurement: -Goal Ball: 22-26cm (diameter) -Weight: 1250g -Goalball goal: 700 – 900cm x 130cm -Aluminum tube frame: 40mm diameter 9 Note: All size measurements are with - 5% tolerance Specifications: Goalball: -Made from a strong, heavyweight rubber outer layer with eight holes in the outer shell and contain three metal balls -Color may vary Goalball goal: -Aluminum circular tube frame, tube back net support -Aluminum anchor loops -Fully welded sides -No brackets or protrusion -With goal post foam -Each Goalball set should come with a BUR branding sticker; Packing: -Goalball with bell must be packed suitable for its weight and volume. -The suppliers must specify the type of box/container that will be used to pack the goalball with bell; at a minimum, the box/container must protect the goalball with a bell from rain, moisture, dust, dirt, or other elements. Product Certification and Standards: -Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AP/CIQ, ASQ, DSG, EOGC, ICA, EC, and EN71. -Instructional manual/Teacher's Guide and maintenance tips in English must be included. -Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (H/UHS) Manufacturer, Trader, Distributor. -Bidders shall provide documentary evidence of conformity of the goods with the technical specifications, including drawings and submission of a complete set of sample items.	4	
195	Goggles	Swimming Goggles - Anti fog coated and polycarbonate lenses; 100% UV protection clear lenses; silicone strap; comfortable thermoplastic rubber gasket; polyetherane nose bridge (5 nose bridge size options); sleek, low profile lens shape	24	
196	Kick board	Material: Density Foam; 45x32x4 cm	24	
197	Meter Tape Measure	100-meters length	4	
198	Shot puts	- 3-, 4-, 5-, and 6-kilos 3 shotputs each kilo	48	
199	Starting pistol	Material: Alloy; .22 caliber model holds 8 rounds and blocked barrel	8	
200	Starting pistol cap	- 6mm (.22 cal) crimp blanks	8	
201	Stopwatch	Materials: (Body) Plastic or stainless steel; have a digital design employing quartz oscillators and electronic circuitry to measure time intervals; Providing delimiting character for hours, minutes, seconds (usually colon); minimum increment of 0.2s	8	
202	Swimming caps	Materials: Silicon; Tight fitting, flat seamless, dome shaped	24	
203	Tether	Materials: Strong cotton; 20 inches long band with handles at both ends	12	
204	Trampoline	Material: Steel frame, durable polypropylene/mesh mat, rubber or elastic bands Dimensions: 36 to 60 inches diameter Features: Padded edges, non-slip rubber feet, handlebar for support, low-to-ground design for safety, bright colors for visual appeal Weight Capacity: 50 to 150 pounds Designed for: Promoting balance, coordination, motor skills, and sensory integration	8	
205	Whistle	Materials: (Body) Plastic or stainless steel; (Soft ball) synthetic cork/plastic/metal, with ring/ strap	16	

206	Yoga Ball	65 cm Extra strong PVC material; non-toxic, BPA-free PVC or anti-burst material, featuring a non-slip textured surface for better grip. Non slip surface and washable. High pressure resistance Diameter 55CM (22 inches) weight capacity of 300 to 400 pounds -For improving balance, posture, visual, hand-eye coordination, vestibular response, and gross motor skills.	12	
207	Cymbals	- 2 sets; Materials- Brass or B8 Bronze (8%Sn); 14" hi-hats 20" ride 16" crash 18" crash 10" splash	8	
208	Drums kit	Standard Size Dimension:1 pc- Bass Drum: 22x 14 inches to 16 inches with 8 to 12 lugs 1pc- Floor Tom: 16 x 15 inches to 16 inches with 6 to 12 lugs 1pc- Snare: 14 x 5 inches to 5.5 inches with 6 to 8 lugs 1pc- Mounted Tom 1: 10 x 8 inches or 12 x 10 inches with 6 to 10 lugs 1pc- Mounted Tom 2: 12 x 9 inches or 13 x 11 inches with 6 to 10 lugs Set of cymbals: Hi-Hat 14 inches x 2pcs., Crash/Ride 16 inches x 1pc. With snare stand, Hi-Hat stand, cymbal boom stand, chain driven kick pedal, tom holders on bass drum, drum throne, 1 pair of drum sticks, drum key Brand name permanently marked on the item.	4	
209	Guitar	Type: Acoustic Guitar (Right-handed) String Type : Steel Number of Strings: 6 Number of Frets: 20 to 21 Tuning Machines: chrome plated with pickup, volume, tone EQ or Bass, Mid, Treble control, and tuner with battery (9 volts) with Gig Bag, Guitar strap, 1 cable cord, Pick Overall Length: 39 to 41 inches Brand name permanently marked on the item. - 2 sets	16	
210	Keyboard Instrument	Type : 61 Key Touch Sensitive Portable Electronic Keyboard 220-250 Vac (with adapter included) With LCD Display Standard key size (octave span at least 190 mm, disregarding space between keys) No. of Polyphony : 32 - 128 With over 300 factory sound preset With built-in speakers and with TS/TRS line output With keyboard stand and sustain pedal Language : English Brand name permanently marked on the item.	8	
211	Percussion Kit	- 1 set (a tunable drum practice pad or shallow drum, snare sticks and bell mallets, a 2-octave aluminum bell set and a stand – all of which is stored in a luggage-style rolling bag.)	8	
212	Tambourine	- 2 sets; Materials- Wood or plastic; 8" or 10" inches diameter; 2 rows of 5-7 dimpled brass or stainless steel jingles.	16	
213	Braille Tactile Kit	Material:Hard Plastic At least 9 to 10 manipulative braille blocks with pins or writing sensor Includes English alphabet, numbers, basic games, essential literacy words and activities Can download and install new content and language packages With left and right arrow buttons and circle button With volume controller for dynamic sounds of the unit Rechargeable battery LED battery indicator With power button (ON/OFF) WiFi connectivity Includes USB adapter and cable 1 set With started guide With carrying pouch	12	
214	FSL Posters/ Pamphlet/Cards Filipino Sign Language Signs	- Posters of 120-common FSL signs - 28-KWF Alphabet signs - 21-Counting signs - 12-Colors signs - 59-Other common FSL signs The item shall have the following specifications. Filipino Sign Language Equivalent to FSL level 3 course Paper thickness at least 8 mils The item shall have the following specifications. Material: 260gsm Photo Paper Flashcards size at least 4 inches height Laminated in 250 microns film A multicolored flashcards Tear resistance	48	

215	Squared Paper Worksheets (for Dyslexic)	Paper: A4 size , in dyslexia recommended colors Square dimensions: 5-square mm ; 10-square mm ; 1/2-square inch; 1/4- square inch; and 1- square inch side of squares: 5 cm or 5 mm (not)	3	12	
216	Writing Slate and Stylus	Comes with 1 durable classic stylus Braille Slate and Stylus-27 lines, 30 cells (K-12)/Main material: ABS plastic Total thick :1/4 inch minimum. At least 8 1/2 inch length by 1 3/4 inch width Color:Green With one piece stylus, writing tip with plastic handle		48	
217	Writing Guides for Learners with Low Vision	-Full size:8 1/2" x 11" -Material: Light weight 1.6 oz., Black(for the frame)- white(for the margin stop with clip)- , non-breakable, non-toxic plastic overlay sheet -Easily adjust to the desired writing width by simply sliding the right margin guide from side to side. -Built-in notches along the upper track firmly hold the margin guide at half-inch intervals up to a width of 8-1/2.		32	
218	Talking Scientific Calculator	Calculator Type: Business basic calculations for Vision impairment Display Type: LCD (10-12 digits) Large, easy to use keypad Talking Calculator with a clear voice with volume key to increase or decrease volume. the voice can be set to speak digits or actual number value. Dimensions: 7 -11inches x 7-9 inches x 7/8 -2 inches Battery operated (batteries included) Date and time with alarm clock function Comes with Headphone jack (3.5 mm mono/stereo)		48	
219	Cranmer Abacus	13-rod abacus. Frame measures 6 1/8 x 3 1/4 inches Bead diameter is 3/8 inch. Red felt backing will prevents beads from slipping. Weight: 0.2857 kg or 0.23 lbs; Dimensions: 15.494 x 8.255 x 1.524 cm or 6.1 x 3.25 x 0.6 in		32	
220	Picture Exchange Communication System (PECS)	1. Comprehensive Set: Over 50 high-quality, ready to print. Size: A4 (210 x 297 mm or 8.27 x 11.69 in) User Guide: Step-by-step instructions for quick and effective use. 2. Inclusive Package: the package you get is a complete kit for all your communication requirements, with 1 binder, 5 dividers, 1 sentence strip, 162 picture cards, 40 hook and loop strips, and 200 hook and loop dots, you will never run out of necessities for your visual communication process, it's a one stop solution for your various visual communication needs 3. Proper Size: the binder measures about 8.27 x 5.83 inches/ 21 x 14.8 cm while the dividers measure about 7.87 x 5.12 inches/ 20 x 13 cm, the sentence strip measures about 1.57 x 7.87 inches/ 4 x 20 cm, suitable size for you to store and carry 4. Easy Usage for Convenience: there is a tab on each divider for convenient labelling, you can attach the picture cards to the dividers with the provided hook and loop dots, and then make a sentence according to your actual need 5. Booklet: 1 piece 3-holed 22.5 cm x 8.86 cm x folder with pocket inside 5-colors 3-holed 20cm x 13 cm separator with tab Strips of 16 cm x 1 cm velcro 200 pcs 1cm diameter velcro Label Stickers (2.54 cm x 3.81 cm) 6. Includes pictures needed in the 6-phases of teaching using the following: Phase I teaches the child to initiate requests using a picture card exchange. Phase II instructs the child how to request desired items by traveling to a communication book and to the communication partner. Phase III is intended to instruct picture discrimination between two or more pictures from a communication book. Phase IV teaches the child to develop a sentence by combining pictures (e.g., "I want"+desired item"). Phase V teaches the child how to respond to questions (e.g., "What do you want?"). Phase VI introduces the child to additional sentence starters using pictures (e.g., "I see," "I hear," and "I smell").		8	

221	Tactile Globe	Measurements: The approximate measurements: □ 29-32cm (width) x 37-39cm (height) x 29-31cm (diameter) Note: All size measurements are with - 5% tolerance Specifications: □ Among the overlays features are continent outlines, higher and lower elevations, raised latitude and longitude lines, and a dashed line for the International Date Line. Mounted on a metal stand with a wood base. □ Each tactile globe should come in a box with BLR branding sticker. Packing: □ Tactile globe must be packed in appropriate boxes suitable for the weight and volume of the puzzle. □ The supplier's must specify the type of box/container that will be used to pack the Tactile globe; at a minimum, the box/container must protect the Tactile globe from rain, moisture, dust, dirt, or other elements. Product Certification and Standards: □ Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DQG, EOQC, IQA, EC, and EN71. □ Instructional manual/Teacher's Guide and maintenance tips in English must be included. □ Supplier(s) must be a holder of valid FDA License to Operate (LTO) as Household/Urban Hazardous (HUHS) Manufacturer, Trader, Distributor. □ Bidders shall provide documentary evidence of conformity of the goods with the technical specifications including drawings and submission of a complete set of sample item. Base material: Hardwood Globe material: Clear hard plastic painted with non toxic. Height: 35 cm (minimum) Width of the base: 29 cm (minimum) Globe diameter: 30 cm (minimum) Comes with stand base, tactile, and braille information	12	
222	Tactile Map	Measurements: The approximate measurements: □ 67cm x 65cm x 3cm Note: All size measurements are with - 5% tolerance Specifications: □ Embossed World map Product Certification and Standards: □ Imported products should pass international quality control product standards and have international quality control product markings such as CE, ISO, ASTM, ASQC, AFCIQ, ASQ, DQG, EOQC, IQA, EC, and EN71. □ Bidders shall provide documentary evidence of conformity of the goods with the technical specifications including drawings and submission of a complete set of sample	24	

ANNEX B

Schedule of Requirements

The delivery schedule expressed below stipulates the date of delivery to the project site

Item No.	Description	Quantity	Unit	Contract Duration
1	Supply and Door-to-Door Delivery of Manipulative Materials for Learners with Disability to the Recipient Schools in Region IX	1	Lot	Within 60 CD upon receipt of Notice to Proceed (NTP)

STATEMENT OF COMPLIANCE

I hereby commit to provide the above specified requirements in compliance with the Technical Specifications for the Project: **Supply and Door-to-Door Delivery of Manipulative Materials for Learners with Disability to the Recipient Schools in Region IX.**

Name and Signature of Bidder's Authorized Representative

Special Conditions of Contract

Delivery and Documents –

For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:

The delivery terms applicable under this Contract shall be **DDP (Duties Delivered Paid)** in accordance with INCOTERMS. Risk and title to the goods shall pass from the Supplier to DepEd RO IX upon receipt and final acceptance of the goods at the designated delivery site: **Recipient Schools in Region IX.**

Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).

For purposes of this Clause, Supply and Door-to-Door Delivery of Learning Tools and Equipment for Technical-Science and Mathematics Equipment (LTE-SME) at the delivery site shall be inspected by the **Authorized Receiving Personnel.**

Upon delivery of the goods to the delivery site, the Supplier shall notify DepEd RO IX and present the following document:

1. Original and four copies of the Supplier’s invoice showing goods’ description, quantity, unit price, and total amount.

Intellectual Property Rights

The Supplier shall indemnify DepEd RO IX against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof.

Incidental Services –

The Contract price for the Goods/Services shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Liquidated Damages –

When the supplier fails to satisfactorily deliver goods under the contract within the specified delivery schedule, inclusive of duly granted time extensions, if any, the supplier shall be liable for damages for the delay and shall pay the procuring entity liquidated damages, not by way of penalty, an amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery for every day of delay until such goods are finally delivered and accepted by the procuring entity concerned. The procuring entity need not prove that it has incurred actual damages to be entitled to liquidated damages. Such amount shall be deducted from any money due or which may become due to the supplier, or collected from any securities or warranties posted by the supplier, whichever is convenient to the procuring entity concerned. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the procuring entity concerned may rescind the contract and impose appropriate sanctions over and above the liquidated damages to be paid.

Force Majeure –

The Contractor shall not be liable for the forfeiture of its Performance Security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of a force majeure.

For purpose of this Contract the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which the Contractor could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions, and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Contractor. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

Inspections

Pursuant to DO 041, s. 2021, inspection or pre-delivery inspection (PDI), where applicable for goods to be delivered, shall be conducted by DepEd through the duly designated Inspectorate Team. The inspection or PDI shall be made upon notice to the DepEd RO IX of the readiness of the goods for inspection.

The Supplier shall coordinate with DepEd RO IX, through the Asset Management Section (AMS), on the conduct of inspection or pre-delivery inspection (PDI). Any request for inspection or PDI shall be done in writing, and contain the following information:

- a. Project Title and Contract Number;
- b. Specific goods for inspection;
- c. Quantity of goods for inspection;
- d. Venue/Address of inspection site; and
- e. Proposed schedule of inspection which must be at least ten (10) calendar days from the submission of the letter request.

The request for inspection or PDI shall be addressed to the Asset Management Section (AMS).

Warranty

A THREE MONTH warranty for the expendable goods will be applied. The said warranty period shall reckon from the date of issuance of the Certificate of Final Acceptance by the DepEd RO IX that the delivered Goods have been duly inspected and accepted (i.e. final acceptance).

**LIST OF ALL ONGOING GOVERNMENT & PRIVATE CONTRACTS INCLUDING
CONTRACTS AWARDED BUT NOT YET STARTED**

Business Name: _____

Business Address : _____

Name of Contract/ Project Cost	Owner's Name a. Address b. Telephone Nos.	Nature of Work	Bidder's Role		Date Awarded a. Date Started b. Date of Completion	% of Accomplishment		Value of Outstanding Works / Undelivered Portion
			Description	%		Planned	Actual	
<u>Government</u>								
<u>Private</u>								

Note: (In case of no ongoing contract, the bidder shall submit this duly signed form and indicate “No ongoing contracts” or “None” or “Not Applicable (N/A)” under the Column for Name of Contract (first column from left)

Submitted by: _____

Printed Name and Signature of Authorized Representative

Designation: _____

Date: _____

Contact No.: _____

Email address: _____

STATEMENT IDENTIFYING THE SINGLE LARGEST COMPLETED CONTRACT

Business Name : _____

Business Address : _____

Name of Contract	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Amount at Award b. Amount at Completion c. Duration	a. Date Awarded b. Contract Effectivity c. Date Completed d. Contract Performance certified by End User
			Description	%		

Note: The bidder shall be able to support this statement with:

Duly signed Contracts/Purchase Orders (POs)/ Agreements/Memoranda of Agreement (MOA)/Notices of Award (NOA)/Job Orders or Notices to Proceed (NTP) with the corresponding Certificates of Completion of Delivery (CCDs)/ Certificates of Final Acceptance (CFAs)/duly signed Delivery Receipts (DRs), or duly accomplished Inspection and Acceptance Reports (IARs)

Submitted by : _____
(Printed Name and Signature)

Designation : _____

Date: _____

Contact No.: _____

Email address: _____

Bid Securing Declaration Form
[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION
Project Identification No.: [Insert number]

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ___ day of [month] [year]
at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)
[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the

Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, Procurement Agent if engaged, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Name of Bidder_____Project ID No._____Page__of_____

Name: _____ Legal Capacity: _____ Signature: _____ Duly
authorized to sign the Bid for and behalf of: _____

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder_____Project ID No._____Page__of ____

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

Name:_____ Legal Capacity: _____ Signature:_____ Duly
authorized to sign the Bid for and behalf of: _____

Bid Form for the Procurement of Goods
[shall be submitted with the Bid]

BID FORM

Date : _____

Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
---------------------------	--

_____	_____
_____	_____
_____	_____

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____